

ActualtestsQuiz



- ✓ Online Tool, Convenient, easy to study.
- ✓ Instant Online Access
- ✓ Supports All Web Browsers
- ✓ Practice Online Anytime
- ✓ Test History and Performance Review
- ✓ Supports Windows / Mac / Android / iOS, etc.



- ✓ Installable Software Application
- ✓ Simulates Real Exam Environment
- ✓ Builds Exam Confidence
- ✓ Supports MS Operating System
- ✓ Two Modes For Practice
- ✓ Practice Offline Anytime



- ✓ Printable PDF Format
- ✓ Prepared by IT Experts
- ✓ Instant Access to Download
- ✓ Study Anywhere, Anytime
- ✓ 365 Days Free Updates
- ✓ Free PDF Demo Available



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 90 days after purchasing. And Free get any another product.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

<http://www.actualtestsquiz.com/>

The best test Quiz materials platform for helping you to obtain your dreaming certification as soon as possible.

Exam : **100-500**

Title : Zend Framework
Certification

Vendor : Zend-Technologies

Version : DEMO

NO.1 You want to retrieve all the data from any given table. You also want to ensure that no duplicate values are displayed. Which of the following SQL statements will you use to accomplish the task?

- A. SELECT...TOP
- B. SELECT...WHERE
- C. SELECT...DISTINCT
- D. SELECT...ALL

Answer: C

NO.2 You have a table created as follows:

create table foo (c1 int, c2 char(30), c3 int, c4 char(10)) If column c1 is unique, which of the following indexes would optimize the statement given below?

Select distinct (c1), c3 from foo where c1=10

- A. create unique index foox on foo (c1) include (c3)
- B. create index foox on foo (c1)
- C. create index foox on foo (c1,c3)
- D. create unique index foox on foo (c1,c3)

Answer: A

NO.3 Which of the following functions sets up start and end element handlers?

- A. xml_parse_into_struct()
- B. xml_parser_create_ns()
- C. xml_set_object()
- D. xml_set_element_handler()

Answer: D

NO.4 Which of the following methods will you use to retain the identity across requests according to the PHP session configuration?

- A. isValid()
- B. getIdentity()
- C. Zend_Auth::authenticate()
- D. getCode()

Answer: C

NO.5 Which of the following methods in Zend_Controller_Action can be used for resetting the state when multiple controllers use the same helper in the chained actions?

- A. preDispatch()
- B. setActionController()
- C. postDispatch()
- D. init()

Answer: D

NO.6 In which of the following situations will you use the set_exception_handler() function?

- A. When you want to restore a previously defined exception handler function.

- B. When the try/catch block is unable to catch an exception.
- C. When you want to set a user-defined function to handle errors.
- D. When you want to generate a user-level error/warning/notice message.

Answer: B

NO.7 Which of the following is used to create a new Memory Manager?

- A. Zend_Memory::factory()
- B. Zend_Memory->NewMemoryManager()
- C. Zend_Memory->factory()
- D. Zend_Memory::NewMemoryManager()

Answer: A

NO.8 Which of the following are the configuration files that are used in Zend_Config?

- A. Zend_Config_Server
- B. Zend_Config_Xml
- C. Zend_Config_Db
- D. Zend_Config_Ini

Answer: B,D

NO.9 You want to set the form method in post and action to /uc/zend.php when you are using the Zend_Form class. Which of the following code snippets will you use to accomplish the task?

- A. <?php
\$form->setAction('/uc/zend.php')
->setMethod('post');
- B. <?php
echo "<form action=\"/uc/zend.php \" method=POST>";
- C. <?php
\$form->('/uc/zend.php')
->('post');
- D. <?php
\$form->Zend::setAction('/uc/zend.php')
->Zend::setMethod('post');

Answer: A

NO.10 Celina works as a Database Administrator for Tech Mart Inc. The company uses an Oracle database. The database contains a table named Employees. Following is the structure of the table:

EmpID NUMBER (5) PRIMARY KEY
EmpName VARCHAR2 (35) NOT NULL
Salary NUMBER (9, 2) NOT NULL
Commission NUMBER (4, 2)
ManagerName VARCHAR2 (25)
ManagerID NUMBER (5)

Celina wants to display the names of employees and their managers, using a self join. Which of the following SQL statements will she use to accomplish this?

Each correct answer represents a complete solution. Choose two.

- A. `SELECT e.EmpName, m.ManagerName FROM Employees e, Employeesm WHERE e.EmpID = m.ManagerID;`
- B. `SELECT e.EmpName, m.ManagerName FROM Employees e INNER JOIN Employeesm ON e.EmpID = m.ManagerID;`
- C. `SELECT e.EmpName, m.ManagerName FROM Employees e LEFT OUTER JOIN Employees m ON e.EmpID = m.ManagerID;`
- D. `SELECT e.EmpName, m.ManagerName FROM Employees e SELF JOIN Employeesm ON e.EmpID = m.ManagerID;`

Answer: A,B

NO.11 Which of the following code snippets will you use to instantiate `Zend_XmlRpc_Server`?

- A. `$server = Zend_Xml::Zend_XmlRpc_Server();`
- B. `$server = new Zend_Xml();`
- C. `$server = new Zend_XmlRpc_Server();`
- D. `$server = create_new_Zend_XmlRpc_Server();`

Answer: C

NO.12 Fill in the blank with the appropriate method name.

The _____ method is used to send an email in the HTML format.

Answer: `setBodyHTML()`

NO.13 You want a formatted date for an RSS feed. Which of the following code syntaxes will you use to accomplish the task?

- A. `Zend_Date::RSSFEED`
- B. `Zend_Date::RSS`
- C. `$RSS= new Zend_RSS_Date();`
- D. `Zend_Date->RSS`

Answer: B

NO.14 Which of the following actions may fail if you have exceeded your quota limit?

- A. `addTo()`
- B. `send()`
- C. `addBcc()`
- D. `appendMessage()`

Answer: D

NO.15 Which of the following functions can be used as a countermeasure to a Shell Injection attack?

Each correct answer represents a complete solution. Choose all that apply.

- A. `mysql_real_escape_string()`
- B. `escapeshellcmd()`
- C. `regenerateid()`
- D. `escapeshellarg()`

Answer: B,D